

JUL 10 2006

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

In the Claims

Please cancel claims 1-24, 26, 28-49 and 51-74. Claims 25, 27 and 50 were previously canceled. Please add new claims 75-145, as shown below.

Claims 1-74 (Canceled)

75. (New) A shoe arranged and designed to support an ankle of a foot, the shoe comprising:

a sole inliner configured for a sole of the foot, the sole inliner being flexible generally across the arch of the foot;

a coupling;

a back inliner coupled to the sole inliner with the coupling, wherein

the back inliner is configured for a back of the foot, and wherein the back inliner, coupling and sole inliner do not extend over the ankle of the foot; and

an upper coupled to both the sole inliner and the back inliner, wherein

the upper adjustably secures the sole inliner and back inliner to the foot, and wherein

the upper, the sole inliner, the coupling, and the back inliner are operable to resist lateral movement of the ankle; and wherein

the shoe is configured for direct contact and non-binding engagement with the ground or other support surface.

76. (New) The shoe of claim 75, wherein the coupling is positioned adjacent to a heel of the foot.

78. (New) The shoe of claim 75, wherein the upper further comprises a top upper member and a bottom upper member.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

79. (New) The shoe of claim 75, wherein the upper further comprises:
a flexible member, which facilitates an initial engagement of the upper to the foot.
80. (New) The shoe of claim 79, wherein the flexible member includes a neoprene material.
81. (New) The shoe of claim 75, wherein
the upper further comprises a top upper member and a bottom upper member, and
the top upper member and bottom upper member independently provide
engagement of the upper to the foot.
82. (New) The shoe of claim 81, wherein the top upper member and bottom upper
member are adapted to receive laces.
83. (New) The shoe of claim 75, further comprising a cover which surrounds the
upper, the sole inliner, the coupling, and the back inliner.
84. (New) The shoe of claim 83, wherein
the upper further comprises a flexible member and a top upper member and a
bottom upper member,
the flexible member provides an initial engagement of the upper to the foot, and
the top upper member and bottom upper member independently provide further
engagement of the upper to the foot.
85. (New) The shoe of claim 84, wherein
the top upper member and bottom upper member are adapted to receive laces,
the flexible member includes a neoprene material, and
the coupling between the sole inliner and the back inliner includes a biasing
member.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

86. (New) The shoe of claim 75, wherein the coupling between the sole inliner and the back inliner includes a biasing member.
87. (New) The shoe of claim 86, wherein the biasing member causes a bias towards one of an obtuse angle or acute angle between the sole inliner and the back inliner.
88. (New) The shoe of claim 86, wherein the biasing member includes at least one torsion spring.
89. (New) The shoe of claim 75, wherein the shoe is provided with cleats or spikes.
90. (New) The shoe of claim 75, wherein the shoe has a generally flat non-cleated or non-spiked sole.
91. (New) The shoe of claim 75, wherein the sole inliner, back inliner and coupling are integrated as one piece.
92. (New) The shoe of claim 75, wherein the back inliner extends at least one inch up the back of the foot.
93. (New) The shoe of claim 75, wherein the back inliner extends at least four inches up the back of the foot.
94. (New) The shoe of claim 75, wherein the back inliner is movable relative to the sole inliner to permit at least one of dorsiflexion and plantar flexion movement in the foot.
95. (New) The shoe of claim 94, wherein the relative movability of the back inliner and sole inliner is facilitated by the flexibility of materials of at least one of the coupling, back inliner and sole inliner.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

96. (New) A shoe arranged and designed to support an ankle of a foot, the shoe comprising:

a sole inliner configured for a sole of the foot, the sole inliner being flexible generally across the arch of the foot;
a coupling;
a back inliner non-movably coupled to the sole inliner with the coupling, wherein the back inliner is configured for a back of the foot, and wherein the back inliner, coupling and sole inliner do not extend over the ankle of the foot;
and

an upper coupled to both the sole inliner and the back inliner, wherein the upper adjustably secures the sole inliner and back inliner to the foot, and wherein the upper, the sole inliner, the coupling, and the back inliner are operable to resist lateral movement of the ankle; and wherein the shoe is configured for direct contact and non-binding engagement with the ground or other support surface.

97. (New) The shoe of claim 96, wherein the coupling is positioned adjacent to a heel of the foot.

98. (New) The shoe of claim 96, wherein the upper further comprises a top upper member and a bottom upper member.

99. (New) The shoe of claim 96, wherein the upper further comprises:
a flexible member, which facilitates an initial engagement of the upper to the foot.

100. (New) The shoe of claim 96, wherein the upper further comprises a top upper member and a bottom upper member, and the top upper member and bottom upper member independently provide engagement of the upper to the foot.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

101. (New) The shoe of claim 100, wherein the top upper member and bottom upper member are adapted to receive laces.
102. (New) The shoe of claim 96, further comprising a cover which surrounds the upper, the sole inliner, the coupling, and the back inliner.
103. (New) The shoe of claim 102, wherein
the upper further comprises a flexible member and a top upper member and a bottom upper member,
the flexible member provides an initial engagement of the upper to the foot, and
the top upper member and bottom upper member independently provide further engagement of the upper to the foot.
104. (New) The shoe of claim 96, wherein the shoe is provided with cleats or spikes.
105. (New) The shoe of claim 96, wherein the shoe has a generally flat non-cleated or non-spiked sole.
106. (New) The shoe of claim 96, wherein the sole inliner, back inliner and coupling are integrated as one piece.
107. (New) The shoe of claim 96, wherein the back inliner extends at least one inch up the back of the foot.
108. (New) The shoe of claim 96, wherein the back inliner extends at least four inches up the back of the foot.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

109. (New) A shoe arranged and designed to support an ankle of a foot, the shoe comprising:

a sole inliner configured for a sole of the foot, the sole inliner being flexible generally across the arch of the foot;

a coupling;

a back inliner coupled to the sole inliner with the coupling the back inliner being movable relative to the sole inliner to permit at least one of dorsiflexion and plantar flexion movement in the foot, wherein the relative movability of the back inliner and sole inliner are facilitated by the flexibility of materials of at least one of the coupling, back inliner and sole inliner; wherein

the back inliner is configured for a back of the foot, and wherein the back inliner, coupling and sole inliner do not extend over the ankle of the foot and without cupping of the heel to hold the heel in a fixed position; and

an upper coupled to both the sole inliner and the back inliner, wherein

the upper adjustably secures the sole inliner and back inliner to the foot, and wherein

the upper, the sole inliner, the coupling, and the back inliner are operable to resist lateral movement of the ankle; and wherein

the shoe is configured for direct contact and non-binding engagement with the ground or other support surface.

110. (New) The shoe of claim 109, wherein the coupling is positioned adjacent to a heel of the foot.

111. (New) The shoe of claim 109, wherein the upper further comprises a top upper member and a bottom upper member.

112. (New) The shoe of claim 109, wherein the upper further comprises:
a flexible member, which facilitates an initial engagement of the upper to the foot.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

113. (New) The shoe of claim 112, wherein the flexible member includes a neoprene material.
114. (New) The shoe of claim 109, wherein
the upper further comprises a top upper member and a bottom upper member, and
the top upper member and bottom upper member independently provide
engagement of the upper to the foot.
115. (New) The shoe of claim 114, wherein the top upper member and bottom upper
member are adapted to receive laces.
116. (New) The shoe of claim 109, further comprising a cover which surrounds the
upper, the sole inliner, the coupling, and the back inliner.
117. (New) The shoe of claim 116, wherein
the upper further comprises a flexible member and a top upper member and a
bottom upper member,
the flexible member provides an initial engagement of the upper to the foot, and
the top upper member and bottom upper member independently provide further
engagement of the upper to the foot.
118. (New) The shoe of claim 117, wherein
the top upper member and bottom upper member are adapted to receive laces,
the flexible member includes a neoprene material, and
the coupling between the sole inliner and the back inliner includes a biasing
member.
119. (New) The shoe of claim 109, wherein the coupling between the sole inliner and
the back inliner includes a biasing member.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

120. (New) The shoe of claim 119, wherein the biasing member causes a bias towards one of an obtuse or an acute angle between the sole inliner and the back inliner.
121. (New) The shoe of claim 119, wherein the biasing member includes at least one torsion spring.
122. (New) The shoe of claim 109, wherein the shoe is provided with cleats or spikes.
123. (New) The shoe of claim 109, wherein the shoe has a generally flat non-cleated or non-spiked sole.
124. (New) The shoe of claim 109, wherein the sole inliner, back inliner and coupling are integrated as one piece.
125. (New) The shoe of claim 109, wherein the back inliner extends at least one inch up the back of the foot.
126. (New) The shoe of claim 109, wherein the back inliner extends at least four inches up the back of the foot.
127. (New) The shoe of claim 109, wherein the coupling is located at a position below the ankle of the foot.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

128. (New) A shoe arranged and designed to support an ankle of a foot, the shoe comprising:

- a sole inliner configured for a sole of the foot, the sole inliner being flexible generally across the arch of the foot;
 - a coupling;
 - a back inliner movably coupled to the sole inliner with the coupling, the movable coupling being located at a position below the ankle of the foot, wherein
 - the back inliner is configured for a back of the foot, and wherein the back inliner, coupling and sole inliner do not extend over the ankle of the foot;
 - and
 - an upper coupled to both the sole inliner and the back inliner, wherein
 - the upper adjustably secures the sole inliner and back inliner to the foot, and wherein
 - the upper, the sole inliner, the coupling, and the back inliner are operable to resist lateral movement of the ankle; and wherein
- the shoe is configured for direct contact and non-binding engagement with the ground or other support surface.

129. (New) The shoe of claim 128, wherein the coupling is positioned adjacent to a heel of the foot.

130. (New) The shoe of claim 128, wherein the upper further comprises a top upper member and a bottom upper member.

131. (New) The shoe of claim 128, wherein the upper further comprises:
a flexible member, which facilitates an initial engagement of the upper to the foot.

132. (New) The shoe of claim 131, wherein the flexible member includes a neoprene material.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

133. (New) The shoe of claim 128, wherein
the upper further comprises a top upper member and a bottom upper member, and
the top upper member and bottom upper member independently provide
engagement of the upper to the foot.
134. (New) The shoe of claim 133, wherein the top upper member and bottom upper
member are adapted to receive laces.
135. (New) The shoe of claim 128, further comprising a cover which surrounds the
upper, the sole inliner, the coupling, and the back inliner.
136. (New) The shoe of claim 135, wherein:
the upper further comprises a flexible member and a top upper member and a
bottom upper member,
the flexible member provides an initial engagement of the upper to the foot, and
the top upper member and bottom upper member independently provide further
engagement of the upper to the foot.
137. (New) The shoe of claim 136, wherein
the top upper member and bottom upper member are adapted to receive laces,
the flexible member includes a neoprene material, and
the coupling between the sole inliner and the back inliner includes a biasing
member.
138. (New) The shoe of claim 128, wherein the coupling between the sole inliner and
the back inliner includes a biasing member.
139. (New) The shoe of claim 138, wherein the biasing member causes a bias towards
one of an obtuse angle or an acute angle between the sole inliner and the back inliner.

Attorney Docket No. LANG-30273
Application No. 10/734,409

Amendment and Response Accompanying
Request for Continued Examination (RCE)

140. (New) The shoe of claim 138, wherein the biasing member includes at least one torsion spring.
141. (New) The shoe of claim 128, wherein the shoe is provided with cleats or spikes.
142. (New) The shoe of claim 128, wherein the shoe has a generally flat non-cleated or non-spiked sole.
143. (New) The shoe of claim 128, wherein the sole inliner, back inliner and coupling are integrated as one piece.
144. (New) The shoe of claim 128, wherein the back inliner extends at least one inch up the back of the foot.
145. (New) The shoe of claim 128, wherein the relative movability of the back inliner and sole inliner is facilitated by the flexibility of materials of at least one of the coupling, back inliner and sole inliner.